

m o o o i

Cluster Lamp

JOEL DEGERMARK



Joel Degemark's Cluster Lamp is not just a fun eye-catcher that lights up your home. The fun begins before you put it in place. The Cluster Lamp comes without light sources, meaning you can get creative and design a unique lamp that fully suits your interior. The lamp gives room to five light sources of your choice. Big bulbs, small bulbs, coloured glass, frosted glass, round bulbs, flame bulbs, tubular bulbs, etc. The possibilities and combinations are endless. Let your imagination fly and create your own unique Cluster Lamp!

Detailing



The Cluster Lamp comes without light sources, so the final shape will reflect your own imagination and personality.


Colours

White

Cluster Lamp / Clusterlamp

Dimensions

19cm | 7.5"



Product

WIDTH 19cm | 7.5"
HEIGHT 14cm | 5.5"
DEPTH 19cm | 7.5"
WEIGHT NETTO 1kg | 2.2lbs

Packaging

WIDTH 27cm | 10.6"
HEIGHT 19cm | 7.5"
CUBAGE 0.01m³ | 0.49ft³
LENGTH 27cm | 10.6"
WEIGHT 1kg | 2.2lbs

Technical CCC

ADDITIONAL

Lightsources not included.

MATERIAL

Polyester housing around metal frame

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

115W

RECOMMENDED LIGHTSOURCE

60W MAX E27, 40W MAX E14, 15W MAX E14

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

5

FREQUENCY

50/60

LAMPHOLDER

E27, E14 and E14

CABLE COLOUR

White

CANOPY

Pebble II White, ABS

Technical CE

ADDITIONAL

Lightsources not included.

MATERIAL

Polyester housing around metal frame

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

115W

RECOMMENDED LIGHTSOURCE

60W MAX E27, 40W MAX E14, 15W MAX E14

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

**INSTALLATION REQUIRED**

Yes

NUMBER OF LIGHTSOURCES

5

FREQUENCY

50/60

LAMPHOLDER

E27, E14 and E14

CABLE COLOUR

White

CANOPY

Pebble II White, ABS

*Technical UL***ADDITIONAL**

Lightsources not included.

MATERIAL

Polyester housing around metal frame

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

110-130V

MAX POWER CONSUMPTION

115W

RECOMMENDED LIGHTSOURCE

60W MAX E26, 40W MAX E12, 15W MAX E12

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

5

FREQUENCY

50/60

LAMPHOLDER

E26, E12 and E12

CABLE COLOUR

White

CANOPY

Pebble II White, ABS

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



Dimming & Lighting Control

Mains dimmable with compatible light source

Compatible models: Clusterlamp CE, Clusterlamp UL
